

Hawley's
Condensed Chemical
Dictionary

TWELFTH EDITION

Revised by
Richard J. Lewis, Sr.



VAN NOSTRAND REINHOLD COMPANY
New York

Copyright © 1993 by Van Nostrand Reinhold

Library of Congress Catalog Card Number 92-18951
ISBN 0-442-01131-8

All rights reserved. Certain portions of this work © 1930, 1920, 1919 by The Chemical Catalog Co., Inc., and 1978, 1981, 1977, 1971, 1966, 1956, 1950 by Van Nostrand Reinhold. No part of this work covered by the copyright hereon may be reproduced or used in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems—without the written permission of the publisher.

ITP Van Nostrand Reinhold is an International Thomson Publishing company.
ITP logo is a trademark under license.

Printed in the United States of America

Van Nostrand Reinhold
115 Fifth Avenue
New York, NY 10003

International Thomson Publishing GmbH
Königsplatz 518
5300 Bonn 3
Germany

International Thomson Publishing
Berkshire House, 168-173
High Holborn, London WC1V 7AA
England

International Thomson Publishing Asia
38 Kim Tian Rd., #0103
Kim Tian Plaza
Singapore 0316

Thomas Nelson Australia
102 Dodds Street
South Melbourne 3205
Victoria, Australia

International Thomson Publishing Japan
Kyowa Building, 3F
2-2-1 Hirakawacho
Chiyoda-Ku, Tokyo 102
Japan

Nelson Canada
1120 Birchmount Road
Scarborough, Ontario
M1K 5G4, Canada

16 15 14 13 12 11 10 9 8 7 6 5 4

Library of Congress Cataloging-in-Publication Data

Condensed chemical dictionary.

Hawley's condensed chemical dictionary.—12th ed./revised by
Richard J. Lewis, Sr.

p. cm.
ISBN 0-442-01131-8

1. Chemistry—Dictionaries. I. Hawley, Gessner Goodrich, 1905-1983
II. Lewis, Richard J., Sr. III. Title.

QD5.C5 1992
540'.3—dc20

92-18951
CIP

443

"DOWFAX 9N"

stituted cin-
on heating

Treatment
presence of
the 1,1-
ive metal to
n atom is in-
the original

antial evolu-
ible because
reversed in
der in which

ate of cal-
vitreous lus-
ood cleavage
but less sol-
powdered or

ufacture of
ium metals;
stock feeds;
ol; removal

l[2-pheno-
quaternary
ble in water

salt in water
ms from the

pair of elec-
inkage with
on theory.

lare,
xyl) phthal-

L-dopa. See L-dihydroxyphenylalanine.

dope. (1) Sizing formulation consisting of solutions of nitrocellulose, cellulose acetate, or other cellulose derivations applied to crepe yard to set the twist and assist creping, and to leather to form a high-gloss finish. (2) A combustible, such as wood pulp, starch, sulfur, etc., used in "straight" dynamites. (3) A trace impurity introduced into ultrapure crystals to obtain desired physical properties, especially electrical properties. Examples: erbium oxide doped with thulium for use as laser crystals; germanium or silicon doped with boron or arsenic for use as semiconductors.

Doppler effect. A shift toward longer (shorter) wavelengths for waves reaching an observer when the source of the waves is moving away from (toward) the observer.

dormant oil. (refined mineral oil).
Properties: Viscosity 90-150 sec (Saybolt 100F).
Unsoluble residue of 50-70%.
Use: As insecticide.

dormant spray. Agricultural insecticidal spray applied during winter or early spring when plant is dormant.

dosimetry, radiation. Measurement of the amount of radiation delivered to the body of an individual. The permissible dose is the quantity of radiation which may be received by an individual over a given period with no detectable harmful effects. For x- or γ-ray exposure the permissible dose is 0.3 roentgen/week, measured in air. All workers with radioactive materials are expected to wear some device for detecting incident radiation. A dosimeter based on fiber optics has been developed for possible application in radiation therapy.
See also rad; rem.

DOT. Abbreviation for Department of Transportation, the agency responsible for the shipping regulations for hazardous products in the U.S.

DOTG. Abbreviation for di-o-tolylguanidine.

dotriacontane. (dicetyl). $\text{CH}_3(\text{CH}_2)_{30}\text{CH}_3$
Properties: Crystals, d 0.823, bp 310°C, mp 70°C.
Use: Research.

DOTT. Abbreviation for di-o-tolylthiourea.

double bond. See unsaturation.

double decomposition. (double displacement, double replacement, metathesis).

Reaction of two compounds to form two new compounds.

double displacement. See double decomposition.

double layer, electric. See electric double layer

double replacement. See double decomposition.

double salt. A hydrated compound resulting from crystallization of a mixture of ions in aqueous solution. Common examples are the alums, made by crystallizing from solution either potassium or ammonium sulfate and aluminum sulfate; Rochelle salt (potassium sodium tartrate), made from a water solution of potassium acid tartrate treated with sodium carbonate; and Mohr's salt (ferrous ammonium sulfate), crystallized from mixed solutions of ferrous sulfate and ammonium sulfate.
See also nickel ammonium sulfate.

"Dowanol" [Dow]. TM for a series of glycol monodethers.
Use: Solvents, intermediates for plasticizers, bactericidal agents, and fixatives for soap and perfumes.

"Dowlene" [Dow]. TM for a series of solvents for specialized cleaning. A stabilized emulsion of caustic soda, a detergent, and a sequestering agent. EC: A colorless liquid, fp -56.6, bp 77-122°C, d 1.381. WR: Inhibited 1,1,1-trichloroethane.

"Dow Corning" [Dow-Corning]. TM for a wide range of silicone and polysiloxane products including emulsions, lubricants, greases, mold-release agents, laminating polymers, electrical varnishes, and heat-resistant coatings.

"Dowetch" [Dow]. TM for magnesium photoengraving sheet, plate, and extruded tube. Also applied to chemicals used in the one-step engraving process.

"Dowex" [Dow]. TM for a series of synthetic ion-exchange resins made from styrene-divinylbenzene copolymers having a large number of ionizable or functional groups attached to this hydrocarbon matrix. These functional groups determine the chemical behavior and types of ion-exchange resin. The strong-acid cation resins are capable of exchanging cations, e.g., sodium for calcium and magnesium, as in softening water. The strong-base anion resins are capable of exchanging anions.

"Dowfax 9N" [Dow]. TM for a series of non-phenylene oxide adducts.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.